



CENTRALISED HEAT RECOVERY UNITS



VENTBOX 150 Thin

For appartments and small houses up to 100 m²

- $192 \times 593 \times 1248 \text{ mm (h} \times \text{w} \times \text{d)}$
- Optimum, Premium versions
- possibility of fitting with an enthalpic counterflow heat exchanger
- M5 ePM10 filters or F7 ePM1

* at 30 m³/h



VENTBOX 300

For appartments and small houses up to 200 m²

- $750 \times 790 \times 625 \text{ mm (h} \times \text{w} \times \text{d)}$
- Optimum, Premium versions
- possibility of fitting with an enthalpic counterflow heat exchanger
- M5 ePM10, F7 filters or F7 carbon filters ePM1

* at 50 m³/h



VENTBOX 400

For family houses up to 300 m²

- $750 \times 790 \times 625 \text{ mm (h} \times \text{w} \times \text{d)}$
- Optimum, Premium, Comfort versions
- possibility of fitting with an enthalpic counterflow heat exchanger
- M5 ePM10, F7 filters or F7 carbon filters

* at 50 m³/h



For family houses with an indoor pool, administrative buildings, schools, kindergartens, cafes up to 600 m²

- $1230 \times 1005 \times 750 \text{ mm (h} \times \text{w} \times \text{d)}$
- Premium versions
- possibility of fitting with an enthalpic counterflow heat exchanger
- M5 ePM10 filters or F7 ePM1

* at 60 m³/h

DECENTRALISEDHEAT RECOVERY UNITS



VENTBOX 800 Public

For schools, kindergartens, halls, training centers, libraries and offices up to 600 m²

- $1960 \times 1005 \times 750 \text{ mm (h} \times \text{w} \times \text{d)}$
- Premium versions
- possibility of fitting with an enthalpic counterflow heat exchanger
- F7 filters or F7 carbon EPM1 filters

* at 60 m³/h



Accessories

- Sensors measuring humidity, radon, CO₂, volatile substances, formaldehyde
- Enthalpic exchanger for the recovery of heat and humidity up to 78 %
- High-quality filters with a high level of filtration (dust, pollen, odor, etc.)



LICON s.r.o.

Svárovská 699, Stráž nad Nisou 463 03, Czech Republic e-mail: info@licon.cz www.licon.cz





@licon.cz



@liconcz

Optimum version* unit designed for optimal achievement of maximum performance while ensuring economic efficiency with all necessary technical equipment.

Premium version** a more sophisticated version of the unit, equipped with unique EC motors with a constant flow function, compensating for pressure losses.

Comfort version*** a unit with the highest possible configuration, additionally equipped with a direct evaporator on the air supply side with a connection to an external compressor unit.